


PERGO®

ORIGINAL LAMINATE
COLLECTIONS 2023-2024

FOR PARTNERS & PROFESSIONALS





FLOORS FOR REAL LIFE

At Pergo we build strikingly beautiful, extremely hard-wearing floors. No shortcuts, no compromises, just the best in Scandinavian function, design and engineering. We invented laminate flooring and in fact, we've been innovating floors that have gone from strength to strength since the 1970's.

Floors that are easy to install and maintain. And with one of the widest ranges around in wood, vinyl and laminate, you're sure to find the perfect one for you.

Come in and look around.

WHY PERGO LAMINATE FLOORS?



HIGH RESISTANCE TO SCRATCHES AND WEAR

Every plank is covered with our patented TitanX™ protection. For especially high demanding areas, choose a Pro floor.



WATER RESISTANT* AND EASY TO CLEAN

AquaSafe technology keeps your floor hygienic and simple to clean. And our floors come with a wet warranty up to 15 years**.



TRUE TO NATURE

All our laminate floors are incredibly true to nature. For an even more natural look & feel, look for our Sensation floors.



EASY TO INSTALL

Just click into place with the glueless PerfectFold™ or Uniclic® click system.



PERFECT FINISH

From faultless installation, to seamless finishing and worry-free maintenance of your beautiful new floor. Choose from the wide range of accessories.



UP TO LIFETIME WARRANTY**

All Pergo laminate floors come with an up to lifetime warranty, so that you can live life to the fullest, without worrying.



HIGH RESISTANCE TO COLOUR FADING

Your floor keeps its colour year after year.

* Tested according to ISO 4760 (no leakage) and is not following EN13553 standards designed for welded resilient floor coverings.

** For full warranty conditions, go to pergo.com.



SENSATION FLOORS – NATURAL ON A WHOLE OTHER LEVEL

With Pergo Sensation laminate you wouldn't believe it's not wood. It's that feeling of natural beauty you get from authentic looking shades and grains together with a warm, matt finish. Add in more than natural protection and you have a floor that stands out for years to come.

DEEPER, MORE AUTHENTIC STRUCTURES

As close as it gets to wood, with all the benefits of laminate – right down into the bevels – to give your home that real wood look. You could say the imperfect makes it perfect.

BEVELLED EDGES AND MATT FINISH

Sensation floors come with bevels on all four sides of the planks. Those deep edges give that air of authentic beauty. Add a sophisticated matt finish and your floor looks as warm and pure as anything nature can produce.

When you want amazing-looking natural floors ask for Pergo Sensation laminates.



AQUASAFE: BECAUSE LIFE'S TOO SHORT TO WORRY ABOUT WATER

All Pergo laminate floors have AquaSafe, our in-house developed technology that creates a sealed, 100% watertight* surface all the way down into the bevels, preventing water from penetrating the floor. It simply stays on the surface and you can easily wipe it away.

* Tested according to ISO 4760 (no leakage) and is not following EN13553 standards designed for welded resilient floor coverings.



SUPERIOR DURABILITY

For all-round domestic use and medium commercial use. Up to lifetime warranty*.

PRO: OUTSTANDING DURABILITY

For areas with heavy commercial use. Lifetime warranty*.

PRO X: EXTREME DURABILITY

For areas with very heavy commercial use. Lifetime warranty*.

1. SUPERIOR WEAR AND SCRATCH RESISTANCE LAYER
2. EVERLASTING DECOR
3. HIGH-PERFORMING HDF CORE
4. BACK STABILISER

FEATURES		CLASS 32	CLASS 33	CLASS 34
TITANX™		•	•	•
SCRATCH RESISTANCE		high	very high	very high
AQUASAFE TECHNOLOGY*		•	•	•
PERFECTFOLD™		•	•	•
UNICLIC®		•	•	•
ANTISTATIC		•	•	•
HYGIENIC		•	•	•
Wood from sustainably managed forests, PEFC certified		•	•	•
Environmental Label Nordic Ecolabel and EU Ecolabel		•	•	•
RESIDENTIAL WARRANTY**		up to lifetime	lifetime	lifetime

TECHNICALS		STANDARD	CLASS 32	CLASS 33	CLASS 34
CLASS OF USE	EN 13329	32	33	34	
FIRE CLASSIFICATION	EN 13501	Cfl-s1	Cfl-s1	Bfl-s1	
FORMALDEHYDE EMISSION	EN 717-1	E1	E1	E1	
VOC EMISSION	agBB/DIBt	•	•	•	
GENERIC ANTI-MICROBIAL EFFECT	JIS Z 2801	> 99%	> 99%	> 99%	
WEAR RESISTANCE	EN 13329	AC4	AC5	AC6	
IMPACT RESISTANCE	EN17368d EN13329	small ball: ≥ 35 mm big ball: ≥ 750 mm	small ball: ≥ 70 mm big ball: ≥ 1000 mm	small ball: ≥ 120 mm big ball: ≥ 1600 mm	
RESISTANCE TO CASTOR CHAIR (WITH UNDERLAY)	EN ISO 4918b	no damage	no damage	no damage	
SLIP RESISTANCE	EN 13893	class DS	class DS	class DS	
THERMAL RESISTANCE	EN 12667	0,06 m ² K/W	0,06 m ² K/W	0,07 m ² K/W	
BODY VOLTAGE	EN 1815	≤ 2 kV (antistatic)	≤ 2 kV (antistatic)	≤ 2 kV (antistatic)	

PERGO WARRANTY

The use of accessories other than genuine Pergo accessories can damage your Pergo floor. In this case, the warranty offered by Pergo will no longer be valid. We advise you to only use Pergo accessories that are specifically designed to use with Pergo floor panels.

* For full warranty conditions, go to pergo.com.

** If full installation instructions (please see pergo.com) are not followed, the warranty is void.

OUR COLLECTIONS


Scandinavian never goes out of style. The same goes for functional design. Our complete range of Pergo laminates delivers just that. Whether you want the high-quality feel of Odense's long planks, the natural look of Arendal or the minimalistic infinite look of Mandal, there's a floor to fill your every need.

And all of them are designed to be durable and have a completely watertight surface. These are the reasons why Pergo laminate floors have become true representatives of Scandinavian functional design. So your kitchen, hallway, bedroom or living room is a pleasure to come home to. Always.


Transform the feeling of your entire room.
Make it wider, narrower, longer, darker or lighter
by the planks you use – the options are endless.



NARVIK
1380 x 190 mm



NEW ODENSE
2050 x 240 mm



ARENDAL
1380 x 190 mm



VISBY
1380 x 190 mm



STAVANGER
1380 x 278,5 mm



BERGEN
1380 x 156 mm



DRAMMEN
1200 x 190 mm



MANDAL
1200 x 190 mm




ESPOO
1200 x 190 mm
(DOMESTIC ELEGANCE)

(MODERN PLANK 9 MM) (MODERN PLANK 8 MM)

		SENSA-TION	AQUA SAFE	BEVELS	WET WARRANTY	WARRANTY CLASS 32	WARRANTY CLASS 33	WARRANTY CLASS 34
NARVIK	1380 × 190 × 9 mm		•	4	15 years			lifetime
NEW ODENSE	2050 × 240 × 9,5 mm	•	•	4	15 years	lifetime	lifetime	
ARENDAL (MODERN PLANK 9 MM)	1380 × 190 × 9 mm	•	•	4	15 years	lifetime	lifetime	
VISBY (MODERN PLANK 8 MM)	1380 × 190 × 8 mm	•	•	4	15 years	lifetime	lifetime	
STAVANGER	1380 × 278,5 × 8 mm	•	•	4	15 years	lifetime	lifetime	
BERGEN	1380 × 156 × 8 mm	•	•	4	15 years	lifetime	lifetime	
DRAMMEN	1200 × 190 × 8 mm		•	4	10 years	lifetime	lifetime	
MANDAL	1200 × 190 × 8 mm		•	0	10 years	lifetime	lifetime	
ESPOO (DOMESTIC ELEGANCE)	1200 × 190 × 7 mm		•	0 / 4	10 years	20 years		

DO YOU PREFER A FLOOR WITH OR WITHOUT BEVELS?



TYPE OF BEVEL	NO BEVEL	V-BEVEL	OPTICAL BEVEL	OPTICAL & GENUINE V-BEVEL	GENUINE V-BEVEL
	These floors are not bevelled offering you a continuous flooring surface.	V-bevel is a lacquered bevel matched with the colour of the floor design. It emphasizes the plank effect.	A subtle bevel effect is created by smart structures on the surface. In reality the planks connect seamlessly. These floors have a 360° bevel experience.	These bevels are pressed in the top of the plank, enhancing the look of natural parquet. The added optical effect enhances the bevels even more.	GENUINE V-bevels are pressed in the top of the plank: the wood pattern runs into the bevel, enhancing the look of natural parquet.
USP	Continuous effect	Emphasize plank effect	360° bevel experience	Enhancing bevels	Natural bevels
RANGE	ESPOO 0V & MANDAL	ESPOO 4V	DRAMMEN	BERGEN & STAVANGER	VISBY, ARENDAL, ODENSE & NARVIK

NARVIK

4-WAY BEVEL



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1380 mm	190 mm	9 mm	6	1,573 m ²	64	100,670 m ²



SANDBANK OAK
● PRO X L0139-04450



WOODBIDGE OAK
● PRO X L0139-04609



GREY BEACH OAK
● PRO X L0139-05188



CRISPY CHALKED OAK
● PRO X L0139-05189



LIGHT PRIME OAK
● PRO X L0139-05190



PRIME OAK
● PRO X L0139-05191

NARVIK MATCHING ACCESSORIES



**STANDARD
SKIRTING**



**PARQUET
SKIRTING**



**5-IN-1 INCIZO®
PROFILE**



**COMMERCIAL
EXPANSION PROFILE**



**COLOURED
SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0139-04450	01854	-	01854	01854	PGKIT16B
L0139-04609	01849	-	01849	01849	PGKIT17B
L0139-05188	03558	-	03558	03558	PGKIT16B
L0139-05189	03866	03866	03866	03866	PGKIT19B
L0139-05190	04291	04291	04291	04291	PGKIT02B
L0139-05191	04295	04295	04295	04295	PGKIT09B

INCIZO® SUBPROFILE | NEINCPBASE11 | 2150 × 71 × 21 mm
The Incizo® subprofile is required for stair application and has to be ordered separately.

NEW ODENSE



4-WAY BEVEL

length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
2050 mm	240 mm	9,5 mm	6	2,952 m ²	33	97,416 m ²



CLAY OAK
 ● PRO L0263-06791
 ● L0363-06791



OATMEAL OAK
 ● PRO L0263-06792
 ● L0363-06792



MALT OAK
 ● PRO L0263-06793
 ● L0363-06793



CLOUDED OAK
 ● PRO L0263-06794
 ● L0363-06794



CLEAR OAK
 ● PRO L0263-06795
 ● L0363-06795



VIBRANT OAK
 ● PRO L0263-06796
 ● L0363-06796



DUSK OAK
 ● PRO L0263-06797
 ● L0363-06797



FOLK
 ● PRO L0263-06798
 ● L0363-06798



GLACIER OAK
 ● PRO L0263-06799
 ● L0363-06799



SOLSTICE OAK
 ● PRO L0263-06800
 ● L0363-06800



BEAUFORT OAK
 ● PRO L0263-06801
 ● L0363-06801



RUSTIC CHARM
 ● PRO L0263-06802
 ● L0363-06802



RUSTIC SMOKE
 ● PRO L0263-06803
 ● L0363-06803

ODENSE MATCHING ACCESSORIES



**STANDARD
SKIRTING**

**PARQUET
SKIRTING**

**SCOTIA
SKIRTING**

**5-IN-1 INCIZO®
PROFILE**

**COMMERCIAL
EXPANSION
PROFILE**

**COLOURED
SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGSCOT(-) 2400 × 17 × 17 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x63-06791	06791	06791	06791	06791	06791	PGKIT18B
L0x63-06792	06792	06792	06792	06792	06792	PGKIT18B
L0x63-06793	06793	06793	06793	06793	06793	PGKIT10B
L0x63-06794	06794	06794	06794	06794	06794	PGKIT02B
L0x63-06795	06795	06795	06795	06795	06795	PBKIT09B
L0x63-06796	06796	06796	06796	06796	06796	PGKIT09B
L0x63-06797	06797	06797	06797	06797	06797	PGKIT04B
L0x63-06798	06796	06796	06796	06796	06796	PGKIT09B
L0x63-06799	06799	06799	06799	06799	06799	PGKIT19B
L0x63-06800	06800	06800	06800	06800	06800	PGKIT09B
L0x63-06801	06801	06801	06801	06801	06801	PGKIT10B
L0x63-06802	06802	06802	06802	06802	06802	PGKIT10B
L0x63-06803	06803	06803	06803	06803	06803	PGKIT17B

INCIZO® SUBPROFILE | NEINCPBASE6 | 2150 × 71 × 21 mm
The Incizo® subprofile is required for stair application
and has to be ordered separately.

ARENDAAL (MODERN PLANK 9 MM)

4-WAY BEVEL



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1380 mm	190 mm	9 mm	6	1,573 m ²	64	100,672 m ²



NORTH CAPE OAK
 ● PRO L0239-04289
 ● L0339-04289



NORDIC SAND OAK
 ● PRO L0239-04291
 ● L0339-04291



SKAGEN OAK
 ● PRO L0239-04293
 ● L0339-04293



STOCKHOLM OAK
 ● PRO L0239-04295
 ● L0339-04295



ISLAND OAK
 ● PRO L0239-04297
 ● L0339-04297



TUNDRA OAK
 ● PRO L0239-04299
 ● L0339-04299



RIVERSIDE OAK
 ● PRO L0239-04301
 ● L0339-04301



GREY BARNHOUSE OAK
 ● PRO L0239-04303
 ● L0339-04303



MOORLAND OAK
 ● PRO L0239-04305
 ● L0339-04305



BARNHOUSE OAK
 ● PRO L0239-04307
 ● L0339-04307



MEADOW OAK
 ● PRO L0239-04309
 ● L0339-04309



VINTAGE GREY OAK
 ● PRO L0239-04311
 ● L0339-04311



ESTATE OAK
 ● PRO L0239-04313
 ● L0339-04313



WEATHERED PINE
 ● PRO L0239-04315
 ● L0339-04315



TASMANIAN OAK
 ● PRO L0239-04317
 ● L0339-04317



REFINED WALNUT
 ● PRO L0239-04319
 ● L0339-04319

ARENDAL MATCHING ACCESSORIES



**STANDARD
SKIRTING**

**PARQUET
SKIRTING**

**SCOTIA
SKIRTING**

**5-IN-1 INCIZO®
PROFILE**

**COMMERCIAL
EXPANSION
PROFILE**

**COLOURED
SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGSCOT(-) 2400 × 17 × 17 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x39-04289	04289	04289	04289	04289	04289	PGKIT19B
L0x39-04291	04291	04291	04291	04291	04291	PGKIT18B
L0x39-04293	04293	04293	04293	04293	04293	PGKIT10B
L0x39-04295	04295	04295	04295	04295	04295	PGKIT09B
L0x39-04297	04297	04297	04297	04297	04297	PGKIT02B
L0x39-04299	04299	04299	04299	04299	04299	PGKIT10B
L0x39-04301	04301	04301	04301	04301	04301	PGKIT10B
L0x39-04303	04303	04303	04303	04303	04303	PGKIT19B
L0x39-04305	04305	04305	04305	04305	04305	PGKIT18B
L0x39-04307	04307	04307	04307	04307	04307	PGKIT15B
L0x39-04309	04309	04309	04309	04309	04309	-
L0x39-04311	04311	04311	04311	04311	04311	PGKIT16B
L0x39-04313	04313	04313	04313	04313	04313	PGKIT09B
L0x39-04315	04315	04315	04315	04315	04315	PGKIT12B
L0x39-04317	04317	04317	04317	04317	04317	PGKIT15B
L0x39-04319	04319	04319	04319	04319	04319	PGKIT14B

INCIZO® SUBPROFILE | NEINCPBASE9 | 2150 × 71 × 21 mm
The Incizo® subprofile is required for stair application
and has to be ordered separately.

VISBY (MODERN PLANK 8 MM)

4-WAY BEVEL



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1380 mm	190 mm	8 mm	7	1,835 m ²	48	88,080 m ²



LIMED GREY OAK
 ● PRO L0231-03367
 ● L0331-03367



URBAN GREY OAK
 ● PRO L0231-03368
 ● L0331-03368



NEW ENGLAND OAK
 ● PRO L0231-03369
 ● L0331-03369



MANOR OAK
 ● PRO L0231-03370
 ● L0331-03370



FARMHOUSE OAK
 ● PRO L0231-03371
 ● L0331-03371



MODERN DANISH OAK
 ● PRO L0231-03372
 ● L0331-03372



BRUSHED WHITE PINE
 ● PRO L0231-03373
 ● L0331-03373



COASTAL OAK
 ● PRO L0231-03374
 ● L0331-03374



VILLAGE OAK
 ● PRO L0231-03375
 ● L0331-03375



SCRAPED VINTAGE OAK
 ● PRO L0231-03376
 ● L0331-03376



FROST WHITE OAK
 ● PRO L0231-03866
 ● L0331-03866



STUDIO OAK
 ● PRO L0231-03867
 ● L0331-03867



CITY OAK
 ● PRO L0231-03868
 ● L0331-03868



BLACK PEPPER OAK
 ● PRO L0231-03869
 ● L0331-03869

VISBY MATCHING ACCESSORIES



**STANDARD
SKIRTING**

**PARQUET
SKIRTING**

**SCOTIA
SKIRTING**

**5-IN-1 INCIZO®
PROFILE**

**COMMERCIAL
EXPANSION
PROFILE**

**COLOURED
SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGSCOT(-) 2400 × 17 × 17 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x31-03367	03367	03367	03367	03367	03367	PGKIT19B
L0x31-03368	03368	03368	03368	03368	03368	PGKIT03B
L0x31-03369	03369	03369	03369	03369	03369	PGKIT18B
L0x31-03370	03370	03370	03370	03370	03370	PGKIT09B
L0x31-03371	03371	03371	03371	03371	03371	PGKIT15B
L0x31-03372	03372	03372	03372	03372	03372	PGKIT02B
L0x31-03373	03373	03373	03373	03373	03373	PGKIT01B
L0x31-03374	03374	03374	03374	03374	03374	PGKIT02B
L0x31-03375	03375	03375	03375	03375	03375	PGKIT04B
L0x31-03376	03376	03376	03376	03376	03376	PGKIT04B
L0x31-03866	03866	03866	03866	03866	03866	PGKIT01B
L0x31-03867	03867	03867	03867	03867	03867	PGKIT19B
L0x31-03868	03868	03868	03868	03868	03868	PGKIT10B
L0x31-03869	03869	03869	03869	03869	03869	PGKIT12B

INCIZO® SUBPROFILE | NEINCPBASE8 | 2150 × 71 × 21 mm
The Incizo® subprofile is required for stair application
and has to be ordered separately.

STAVANGER

4-WAY BEVEL



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1380 mm	278,5 mm	8 mm	6	2,306 m ²	48	110,688 m ²



BLOSSOM OAK
 ● PRO L0245-04994
 ● L0345-04994



VALLEY OAK
 ● PRO L0245-04995
 ● L0345-04995



ABBAY OAK
 ● PRO L0245-04996
 ● L0345-04996



NORTHERN OAK
 ● PRO L0245-04997
 ● L0345-04997



SEASALT OAK
 ● PRO L0245-04998
 ● L0345-04998



VITALETA OAK
 ● PRO L0245-04999
 ● L0345-04999



BORGIO OAK
 ● PRO L0245-05000
 ● L0345-05000



PORT OAK
 ● PRO L0245-05002
 ● L0345-05002



WILDWOOD OAK
 ● PRO L0245-05003
 ● L0345-05003



RIVER ROCK OAK
 ● PRO L0245-05004
 ● L0345-05004



MOUNTAIN CABIN OAK
 ● PRO L0245-05005
 ● L0345-05005



ATELIER OAK
 ● PRO L0245-05006
 ● L0345-05006

STAVANGER MATCHING ACCESSORIES



**STANDARD
SKIRTING**

**PARQUET
SKIRTING**

**SCOTIA
SKIRTING**

**5-IN-1 INCIZO®
PROFILE**

**COMMERCIAL
EXPANSION
PROFILE**

**COLOURED
SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGSCOT(-) 2400 × 17 × 17 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x45-04994	04994	04994	04994	04994	04994	PGKIT15B
L0x45-04995	04995	04995	04995	04995	04995	PGKIT10B
L0x45-04996	04996	04996	04996	04996	04996	PGKIT18B
L0x45-04997	04997	04997	04997	04997	04997	PGKIT16B
L0x45-04998	04998	04998	04998	04998	04998	PGKIT19B
L0x45-04999	04999	04999	04999	04999	04999	PGKIT16B
L0x45-05000	05000	05000	05000	05000	05000	PGKIT04B
L0x45-05002	05002	05002	05002	05002	05002	PGKIT02B
L0x45-05003	05003	05003	05003	05003	05003	PGKIT09B
L0x45-05004	05004	05004	05004	05004	05004	PGKIT17B
L0x45-05005	05005	05005	05005	05005	05005	PGKIT15B
L0x45-05006	05006	05006	05006	05006	05006	PGKIT09B

INCIZO® SUBPROFILE | NEINCPBASE8 | 2150 × 71 × 21 mm
The Incizo® subprofile is required for stair application
and has to be ordered separately.

BERGEN

4-WAY BEVEL



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1380 mm	156 mm	8 mm	8	1,722 m ²	60	103,320 m ²



COMFORT GREY OAK
 ● PRO L0246-05007
 ● L0346-05007



RAILWAY OAK
 ● PRO L0246-05008
 ● L0346-05008



COLOGNE OAK
 ● PRO L0246-05009
 ● L0346-05009



PIER OAK
 ● PRO L0246-05010
 ● L0346-05010



VIENNA OAK
 ● PRO L0246-05011
 ● L0346-05011



PORTMAN WALNUT
 ● PRO L0246-05012
 ● L0346-05012



RED CLAY TEAK
 ● PRO L0246-05021
 ● L0346-05021



TROMSDALEN OAK
 ● PRO L0246-05022
 ● L0346-05022

BERGEN MATCHING ACCESSORIES



**STANDARD
SKIRTING**

**PARQUET
SKIRTING**

**SCOTIA
SKIRTING**

**5-IN-1 INCIZO®
PROFILE**

**COMMERCIAL
EXPANSION
PROFILE**

**COLOURED
SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGSCOT(-) 2400 × 17 × 17 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x46-05007	05007	05007	05007	05007	05007	PGKIT16B
L0x46-05008	05008	05008	05008	05008	05008	PGKIT10B
L0x46-05009	05009	05009	05009	05009	05009	PGKIT04B
L0x46-05010	05010	05010	05010	05010	05010	PGKIT09B
L0x46-05011	05011	05011	05011	05011	05011	PGKIT09B
L0x46-05012	05012	05012	05012	05012	05012	PGKIT15B
L0x46-05021	05021	05021	05021	05021	05021	PGKIT14B
L0x46-05022	05022	05022	05022	05022	05022	PGKIT02B

INCIZO® SUBPROFILE | NEINCPBASE8 | 2150 × 71 × 21 mm
The Incizo® subprofile is required for stair application
and has to be ordered separately.

DRAMMEN

4-WAY BEVEL



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1200 mm	190 mm	8 mm	7	1,596 m ²	64	102,144 m ²



BROWN LEATHERED OAK
 ● PRO L0248-05013
 ● L0348-05013



SANDWAVE OAK
 ● PRO L0248-05014
 ● L0348-05014



WHITE GLOOM OAK
 ● PRO L0248-05015
 ● L0348-05015



ISLA OAK
 ● PRO L0248-05016
 ● L0348-05016



RICARD OAK
 ● PRO L0248-05017
 ● L0348-05017



CAPPUCCINO OAK
 ● PRO L0248-05018
 ● L0348-05018



CORNWALL OAK
 ● PRO L0248-05019
 ● L0348-05019



DARTMOOR OAK
 ● PRO L0248-05020
 ● L0348-05020

DRAMMEN MATCHING ACCESSORIES



**STANDARD
SKIRTING**

**PARQUET
SKIRTING**

**SCOTIA
SKIRTING**

**5-IN-1 INCIZO®
PROFILE**

**COMMERCIAL
EXPANSION
PROFILE**

**COLOURED
SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGSCOT(-) 2400 × 17 × 17 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x48-05013	05013	05013	05013	05013	05013	PGKIT17B
L0x48-05014	05014	05014	05014	05014	05014	PGKIT09B
L0x48-05015	05015	05015	05015	05015	05015	PGKIT01B
L0x48-05016	05016	05016	05016	05016	05016	PGKIT18B
L0x48-05017	05017	05017	05017	05017	05017	PGKIT10B
L0x48-05018	05018	05018	05018	05018	05018	PGKIT04B
L0x48-05019	05019	05019	05019	05019	05019	PGKIT10B
L0x48-05020	05020	05020	05020	05020	05020	PGKIT16B

INCIZO® SUBPROFILE | NEINCPBASE2 | 2150 × 71 × 21 mm
The Incizo® subprofile is required for stair application and has to be ordered separately.

MANDAL

NO BEVEL



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1200 mm	190 mm	8 mm	7	1,596 m ²	64	102,144 m ²



NATURAL OAK
 ● PRO L0247-01804
 ● L0347-01804



DARK GREY OAK
 ● PRO L0247-01805
 ● L0347-01805



VINEYARD OAK
 ● PRO L0247-05023
 ● L0347-05023



MISTY OAK
 ● PRO L0247-05024
 ● L0347-05024



SOFT CABIN OAK
 ● PRO L0247-05025
 ● L0347-05025



MAINE OAK
 ● PRO L0247-05026
 ● L0347-05026



SEA STACK OAK
 ● PRO L0247-05027
 ● L0347-05027



POTTERY OAK
 ● PRO L0247-05028
 ● L0347-05028

MANDAL MATCHING ACCESSORIES



**STANDARD
SKIRTING**

**PARQUET
SKIRTING**

**SCOTIA
SKIRTING**

**5-IN-1 INCIZO®
PROFILE**

**COMMERCIAL
EXPANSION
PROFILE**

**COLOURED
SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGSCOT(-) 2400 × 17 × 17 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x47-01804	01731	01731	01731	01731	01731	PGKIT04B
L0x47-01805	01730	01730	01730	01730	01730	PGKIT03B
L0x47-05023	05023	05023	05023	05023	05023	PGKIT09B
L0x47-05024	05024	05024	05024	05024	05024	PGKIT18B
L0x47-05025	05025	05025	05025	05025	05025	PGKIT10B
L0x47-05026	05026	05026	05026	05026	05026	PGKIT03B
L0x47-05027	05027	05027	05027	05027	05027	PGKIT01B
L0x47-05028	05028	05028	05028	05028	05028	PGKIT12B

INCIZO® SUBPROFILE | NEINCPBASE2 | 2150 × 71 × 21 mm
The Incizo® subprofile is required for stair application and has to be ordered separately.

ESPOO (DOMESTIC ELEGANCE)

NO BEVEL / 4-WAY BEVEL




length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1200 mm	190 mm	7 mm	8	1,824 m ²	64	116,736 m ²



VINEYARD OAK

- L0365-04386 | BEVEL
- L0364-04386 | NO BEVEL



MILK WHITE OAK

- L0365-04387 | BEVEL
- L0364-04387 | NO BEVEL



ELEGANT GREY OAK

- L0365-04388 | BEVEL
- L0364-04388 | NO BEVEL



RIVER OAK

- L0365-04389 | BEVEL
- L0364-04389 | NO BEVEL



NATURAL BEIGE OAK

- L0365-04390 | BEVEL
- L0364-04390 | NO BEVEL



HIGHLAND BROWN OAK

- L0365-04391 | BEVEL
- L0364-04391 | NO BEVEL



CONVENT OAK

- L0365-04392 | BEVEL
- L0364-04392 | NO BEVEL



CANYON OAK

- L0365-04393 | BEVEL
- L0364-04393 | NO BEVEL



WARM NATURAL OAK

- L0365-04394 | BEVEL
- L0364-04394 | NO BEVEL



WATERFRONT OAK

- L0365-04395 | BEVEL
- L0364-04395 | NO BEVEL

ESPOO MATCHING ACCESSORIES



**STANDARD
SKIRTING**

**PARQUET
SKIRTING**

**SCOTIA
SKIRTING**

**5-IN-1 INCIZO®
PROFILE**

**COMMERCIAL
EXPANSION
PROFILE**

**COLOURED
SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGSCOT(-) 2400 × 17 × 17 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L036x-04386	04386	04386	04386	04386	04386	PGKIT16B
L036x-04387	04387	04387	04387	04387	04387	PGKIT01B
L036x-04388	04388	04388	04388	04388	04388	PGKIT03B
L036x-04389	04389	04389	04389	04389	04389	PGKIT18B
L036x-04390	04390	04390	04390	04390	04390	PGKIT10B
L036x-04391	04391	04391	04391	04391	04391	PGKIT17B
L036x-04392	04392	04392	04392	04392	04392	PGKIT10B
L036x-04393	04393	04393	04393	04393	04393	PGKIT10B
L036x-04394	04394	04394	04394	04394	04394	PGKIT09B
L036x-04395	04395	04395	04395	04395	04395	PGKIT16B

INCIZO® SUBPROFILE | NEINCPBASE1 | 2150 × 71 × 21 mm
The Incizo® subprofile is required for stair application
and has to be ordered separately.



YOUR FLOOR – FINISHED IN STYLE

Choose from our wide range of accessories to give your interior that perfectly finished look. From seamless transitions to stairs or walls, silent underlays to improve your comfort or a skirting that finishes off the room in style. Details make perfection.

1. UNDERLAYS

Make a great floor greater. Underlays increase walking comfort, improve your room's acoustics, avoid creaking noises, support the click system and protect floors from rising moisture and rising damp. They can be combined with underfloor heating or cooling too.

2. SKIRTINGS

Finish the look with colour matching skirtings, or complete your interior style with one of the many paintable white shapes.

3. PROFILES







Hide those saw cuts and give your floor room to expand with profiles. Create a smooth transition with the colour matched Incizo® profile.

ALL YOU NEED TO INSTALL, FINISH AND MAINTAIN YOUR FLOOR

A laminate floor is more than the planks you walk on. It's a complete home decor solution. That's why Pergo also offers a full line of accessories. Everything you need for trouble-free installation, finishing and maintenance.

INSTALLATION







UNDERLAYS

		PIECE			PACK				PALLET
		length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
	FOAM UNDERLAY for wood subfloors PGUDLFOAM15B 15 m ² / roll	15800	950	2	1	195	195	950	24
	SMART UNDERLAY for wood subfloors PGUDLSMART15 15 m ² / pack	15000	1000	3	1	1000	250	180	18
	FOAM+ UNDERLAY for concrete subfloors PGUDLFOAMPLUS15 15 m ² / roll	15960	940	2	1	210	210	940	20
	SMART+ UNDERLAY for concrete subfloors PGUDLSMARTPLUS15 15 m ² / pack	15000	1000	3	1	1000	250	180	18
	 SILENT WALK UNDERLAY for wood & concrete subfloors PGUDLSW7 7 m ² / roll	7000	1000	2	1	190	190	1000	40




* Cradle to Cradle Certified® products are awarded certification based upon their performance across five critical areas of sustainability: Material health, Product Circularity, Clean Air & Climate Protection, Water & Soil Stewardship and Social Fairness.

INSTALLATION

UNDERLAYS

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>PE FILM PGUDLSCREEN34 33,75 m² / roll</p>	12500	2700	0,2	1	150	250	2700	60
 <p>QUICKHEAT FOIL NEUDLQH60X300 60 x 300 cm</p>	3000	600	0,35	1	645	125	125	180
 <p>QUICKHEAT FOIL NEUDLQH60X500 60 x 500 cm</p>	5000	600	0,35	1	645	125	125	180
 <p>QUICKHEAT FOIL NEUDLQH60X700 60 x 700 cm</p>	7000	600	0,35	1	645	125	125	180
 <p>QUICKHEAT FOIL NEUDLQH100X300 100 x 300 cm</p>	3000	1000	0,35	1	1040	125	125	114
 <p>QUICKHEAT FOIL NEUDLQH100X500 100 x 500 cm</p>	5000	1000	0,35	1	1040	125	125	114

UNDERLAYS

	PIECE			PACK			PALLET	
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>QUICKHEAT FOIL NEUDLQH100X700 100 × 700 cm</p>	7000	1000	0,35	1	1040	125	125	114
 <p>QUICKHEAT FOIL NEUDLQH120X300 120 × 300 cm</p>	3000	1200	0,35	1	1240	130	130	114
 <p>QUICKHEAT FOIL NEUDLQH120X500 120 × 500 cm</p>	5000	1200	0,35	1	1240	130	130	114
 <p>QUICKHEAT FOIL NEUDLQH120X700 120 × 700 cm</p>	7000	1200	0,35	1	1240	130	130	114
 <p>QUICKHEAT INSULATION PLATES NEUDLQHPLATE 120 × 50 cm 1 pc: 10 plates</p>	1200	500	7	1	1200	500	70	30

INSTALLATION

UNDERLAYS



	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
QUICKHEAT CONTROLLER KIT WIRELESS NEQHKITWIFI	120	100	35	1	165	55	190	40

QUICKHEAT EXTENSION CABLE								
NEQHEXTCAB100 1 m	1000	170	15	1	315	190	20	75
NEQHEXTCAB300 3 m	3000	170	15	1	315	190	20	75





COMMERCIAL UNDERLAYS

The best underlay for eliminating impact sound.
Vapour barrier with an overlap and tape strip included.





	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
PROFESSIONAL SOUNDBLOC								
PGUDLPS15 15 m ² / roll	15790	950	2	1	240	240	940	20
PGUDLPS50 50 m ² / roll	52640	940	2	1	420	420	940	6

INSTALLATION TOOLS








	PIECE			PACK			PALLET	
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>ADHESIVE TAPE NETAPE50</p>	5000	50	0,5	96	310	290	290	960
 <p>INSTALLATION SET PGTOOL</p>	285	80	70	10	300	370	170	320
 <p>SPACERS PGSPACER 1 pc: 48 spacers</p>	190	85	50	28	300	370	170	896
 <p>SAFESEAL PGSEAL500 50 ml</p>	240	65	65	6	195	130	245	1080

COMMERCIAL INSTALLATION TOOLS

	PIECE			PACK			PALLET	
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>PROFESSIONAL PULLBAR PGWPULLBAR Professional and silent pullbar thanks to the rubber shock absorber on the contact surface.</p>	700	280	230	1	575	375	140	120
 <p>PROFESSIONAL TAPPING BLOCK PGWTAPPINGBLOCK Professional tapping block that distributes the tapping force equally to protect your plank.</p>	520	110	62	10	200	200	60	480



FINISHING

SKIRTINGS




	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>COLOUR MATCHED STANDARD SKIRTING</p> <p>PGSK(-) 2400 × 12 × 58 mm</p>	2400	12	58	6	2410	65	61	720
 <p>COLOUR MATCHED PARQUET SKIRTING</p> <p>PGPSK(-) 2400 × 14 × 77 mm</p>	2400	14	77	6	2410	84	77	432
 <p>COLOUR MATCHED SCOTIA</p> <p>PGSCOT(-) 2400 × 17 × 17 mm</p>	2400	17	17	6	2440	54	54	918
 <p>PAINTABLE STANDARD SKIRTING</p> <p>PGSKPAINTA 2400 × 12 × 58 mm</p>	2400	12	58	6	2405	60	65	720
 <p>PAINTABLE PARQUET SKIRTING</p> <p>PGPSKPAINTA 2400 × 14 × 77 mm</p>	2400	14	77	6	2405	89	79	432
 <p>PAINTABLE SCOTIA</p> <p>PGSCOTPAINTA 2400 × 17 × 17 mm</p>	2400	17	17	6	2440	54	54	894
 <p>PAINTABLE COVER SKIRTING</p> <p>PGISKRCOVER 2400 × 16 × 129 mm</p>	2400	16	129	6	2410	146	48	264

FINISHING

SKIRTINGS






	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>PAINTABLE WATERPROOF MEDIUM SKIRTING PGHSK58PAINT 2400 × 13 × 58 mm</p>	2400	13	58	6	2410	78	58	540
 <p>PAINTABLE WATERPROOF LARGE SKIRTING PGHSK80PAINT 2400 × 15 × 80 mm</p>	2400	15	80	6	2400	80	90	420

INSTALLATION TOOLS FOR SKIRTINGS





	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>PLUGS FOR SKIRTINGS NEPLUG 1 pc: 48 plugs</p>	100	150	40	10	250	160	105	1000
 <p>CLIPS FOR STANDARD SKIRTING 7 - 8 MM FLOORS PGCLIPSKME7080 1 pc: 50 clips</p>	394	139	59	20	460	275	330	420
 <p>MULTIGLUE PGGLUE290 290 ml</p>	50	50	230	12	213	160	240	1200

FINISHING

PROFILES






	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>INCIZO® PROFILE PGINCP(-) 2150 × 48 × 13 mm</p>	2150	48	13	1	2250	69	27	266
 <p>INCIZO® ALUMINIUM SUBPROFILE FOR STAIRS NEINCPBASE1 (7 mm floors) NEINCPBASE2 (8 mm floors) NEINCPBASE6 (9,5 mm floors) NEINCPBASE8 (8 mm floors) NEINCPBASE9 (9 mm floors) NEINCPBASE11 (9 mm floors)</p>	2150	71	21	1	2160	74	22	234
 <p>MULTIFUNCTIONAL PROFILE SILVER PGPRSILV 1860 × 47 × 16 mm</p>	1860	47	16	1	1860	60	16	340
 <p>END PROFILE SILVER PGENPSILVME270 2700 × 25 × 9,5 mm</p>	2700	25	9,5	10	2805	72	70	280
 <p>STAIR PROFILE SILVER PGSTPSILVME250 2500 × 30 × 25 mm</p>	2500	30	25	5	2720	80	80	300

COMMERCIAL
PROFILES




	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>COMMERCIAL EXPANSION PROFILE COLOUR MATCHED</p> <p>PGEXPC(-) From laminate to laminate. Easy installation with snap-in function. Min. order quantity 30 pcs, order per 5 pcs</p>	2350	50	9,5	5	2365	80	70	225
 <p>COMMERCIAL EXPANSION PROFILE NATURE</p> <p>PGEXPCNATURE From laminate to laminate. Easy installation with snap-in function.</p>	2350	50	9,5	5	2365	80	70	225
 <p>COMMERCIAL EXPANSION PROFILE SILVER</p> <p>PGEXPCSVLME270 Flexible in height. Flooring thickness (including underlay) 7 – 18 mm</p>	2700	45	12	10	2800	80	80	250
 <p>COMMERCIAL END PROFILE SILVER</p> <p>PGENPCSVLME270 Fits to flooring thickness of 9-10 mm.</p>	2700	40	10,3	10	2800	150	60	100

FINISHING




COMMERCIAL PROFILES

	PIECE			PACK			PALLET	
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>COMMERCIAL RAMP PROFILE SILVER - DRILLED</p> <p>PGRPC80SILVME270 Flexible in height. Flooring thickness (including underlay) 9 – 15 mm. Extremely resistant aluminium profile.</p>	2700	80	11	10	2800	130	95	300
 <p>COMMERCIAL LOW RAMP PROFILE SILVER</p> <p>PGRPC55SILVME315A Fits flooring thickness of 8-9 mm.</p>	3150	55	11,6	10	3190	135	100	250
 <p>PRE-CUT CORNER FOR LOW RAMP PROFILE</p> <p>PGRPC55CORNSILVMEA Fits flooring thickness of 8-9 mm.</p>	200	55	11,6	4	330	310	70	48
 <p>COMMERCIAL HIGH RAMP PROFILE SILVER</p> <p>PGRPC85SILVME315 Fits flooring construction of 22,5 mm.</p>	3150	85	24	5	3190	150	110	30
 <p>PRE-CUT CORNER FOR HIGH RAMP PROFILE</p> <p>PGRPC85CORNSILVME Fits flooring construction of 22,5 mm.</p>	200	84	24	4	330	310	70	48





FINISHING TOOLS

	PIECE			PACK			PALLET		
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet	
	COLOURED SEALANT								
	PGKIT(-)B 310 ml	50	50	230	12	213	160	240	1200
	PIPE COVERS 18 MM								
	PGPCINOX18 1 pc: 2 pipe covers	75	20	140	15	240	165	130	510
	PIPE COVERS 22 MM								
	PGPCINOX22 1 pc: 2 pipe covers	75	20	140	15	240	165	130	510

TOOLS FOR A WATERTIGHT FINISH

	PIECE			PACK			PALLET		
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet	
	FOAMSTRIP								
	NEFOAMSTRIP20 20 x 1 m x Ø 10 mm	300	310	75	1	300	310	75	125
	AQUA SEALANT								
	PGKITTRANSP 310 ml	50	50	230	12	213	160	240	1200
	HYDROSTRIP FOR SKIRTINGS								
	NEHSTRIPSK15 (for standard skirtings)	15000	5	5	18	793	268	332	216
	NEHSTRIPSCOTPSK15 (for scotia & parquet skirtings) 15 m	15000	8	5	18	793	268	332	216

MAINTENANCE

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>FLOOR CLEANER 1 L PGCLEANECO1000</p>	90	76	270	6	280	165	290	342
 <p>SPOT CLEANER 250 ML PGSPOTCLEAN</p>	50	50	200	20	260	210	210	1120
 <p>CLEANING KIT PGCLEANINGKIT</p>	770	200	55	6	790	165	250	144
 <p>REPAIR KIT PGREPAIR</p>	290	125	28	12	370	250	150	648



DURABLE. NATURALLY.

We produce flooring as sustainable as possible, constantly innovating to minimize the potential impact on our planet. Therefore, we (Unilin Group) have linked ourselves to the Science Based Targets Initiative*. Our set and verified climate targets for 2030 put us firmly on the path to help limit global warming to 1.5°C, as outlined by the Paris Agreement. As the inventors of laminate flooring, we're proud to be the first producer to receive the Nordic Swan label and EU Ecolabel for a floor.

Our laminate floors are certified by PEFC – the most trusted certificate in sustainable sourcing together. This guarantees our recovered wood is sourced from sustainably managed forests and controlled sources.

MAKING USE OF RECOVERED WOOD

Trees are also an important habitat for animals and essential in stimulating biodiversity. We therefore use 100% recovered wood when producing the high-density wood fibreboard in the core of our laminate. This is wood collected from sawmills, forest management processes.

CLEAN AIR INDOORS

We spend lots of time indoors, and there are many things that influence air quality, like ventilation, cleaning agents, candles and even your furnishing materials and flooring. We produce flooring in-house so we know exactly which materials are involved and can control emissions of harmful substances. And you can install your flooring without needing any adhesives.

MINIMAL VOC EMISSION

We work to minimize VOC (Volatile Organic Compounds) emissions. Formaldehyde is a VOC that's found in flooring. Formaldehyde emission in our laminate flooring is negligible and 5-10 times lower than EU restrictions, so there's no risk for you or your family.

GREEN ENERGY PRODUCTION.

Unilin, the group behind Pergo, has invested in green energy for many years. Today we are operating at 60% renewable energy thanks to windmills, solar panels and even two co-owned biomass plants

EASY TO INSTALL, EASY TO LIVE WITH

We believe in making floors that will last and bring joy, instead of becoming waste after a few years. That's why we offer up to life-long warranty. Thanks to our advanced click technology you can install your floor glue-free without needing tools. That way you can uninstall your floor without any hassle or damage.



* The Science Based Targets initiative (SBTi) is a collaboration between CDP, the United Nations Global Compact, World Resources Institute (WRI) and the Worldwide Fund for Nature (WWF). The SBTi defines and promotes best practice in science-based target setting, and independently assesses and validates companies' climate targets.
 ** For full warranty go to pergo.com.



PERGO®

Floors for real life

Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice. With reservation for errors. Contents © 2023-2024 by Unilin bv – division flooring. All Rights Reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher. For consumer questions and retailers visit pergo.com.

Pergo is a quality product produced by UNILIN BV, division flooring, Ooigemstraat 3, 8710 Wielsbeke, Belgium

a brand of  UNILIN